

CUSTOM WORK SERVICES

CROP MANAGEMENT - Planning, Monitoring, Record Keeping TILLAGE - All Kinds PLANTING - All Crops In All Conditions FERTILIZING AND SPRAYING

SOLID MANURE APPLICATION

COMBINING & HAULING - All Crops

MOWING & MERGING - Alfalfa, Cereals & Grass

SILAGE - Harvesting, Hauling & Packing

PROFESSIONAL WORKMANSHIP

- Trained & experienced operators
- Up-to-date equipment maintenance
- Newest and Innovative Equipment
- Excellent communication, scheduling & timing
- Accurate & clear work documentation & invoicing
- Custom work is our main business and not a side line



CLAUSSEN FARMS CUSTOM FARMING INC.

76402 Airport Line Brucefield, ON N0M 1J0

Sonke: 519 525 8329 • Hauke: 519 525 7733 Office: 519 233 3198 • Fax: 519 233 3199 email: claussen@tcc.on.ca



OUR EQUIPMENT

- Taarup 4062: 20 ft pull typ mower
- Claas 8550: 27 ft butterfly combination
- Kuhn MaxxMerge: 30 ft pick up merger
- Fendt, Claas, John Deere and Challenger CVT tractors
- Claas 930 and 960
 Forage Harvester
- 14 ft pick up heads
- Row independent cornheads
 6 and 10 rows
- 40 cbm silage dumptrailers





CLAUSSEN Silage Harvesting



TAARUP 4062 AND CLAAS 8550 MOWER

- 20 ft and 27 ft working width
- Adjustable intensive conditioner
- Merger belts
- Windrows every 10 ft, 20 ft, 30 ft or 40 ft
- Adj. windrows width from 4 to 14 ft wide
- Fendt 900 CVT w. autosteer



Single 10 ft windrows



Twin windrows on 20 ft, 14 ft wide



Twin Windrows on 40 ft, 14 ft wide



CLAAS XERION 3800 VC

- Reversable cab for 2 way travelling
- All wheel and crab steering
- Large 800 mm equal size ultraflex tires
- On board tire inflation system
- CVT transmission with 50 km in both directions
- Flexible ballasting up to 27 t
- Packing silage with rear end loader



Packing at its Best!

- Front: rear weight split of 40:60
- Crab steer for large contact area
- All wheel steering
- Maximum weight of 27 mt
- Full packing against rear wall
- Excellent visibility





BUNKER PACKING

- JD 8320 R and Challenger 665D with loader
- Claas Xerion 3800 VC with loader and blade
- Total weight 22 to 27 t
- Experienced and trained operators
- Silage density monitoring during and after filling











Kuhn *MaxxMerge* Features

- Pick up style reduces exposure to stones
- Merge into 20, 30, 40, 50, 60 and 70ft windrows
- Minimal leaf losses
- 3 sections to float and adapt to ground contours

- ideal silage quality
- Increase harvesting capacity
- Approach to make "Silage-in-a-day"



KUHN MAXXMERGE 900

• Reduce drying time by 30 to 50 % - reduce exposure to weather risk and rain

• Thin layer of material allows a more consistent dry down process which results in a higher feed quality

• The merging timing determines the dry matter content for

- less time spent to fill the bunker silo

CLAAS JAGUAR 930 AND 960 HARVESTER

- Infinite cutting length adjustment
- High floatation tires with on board inflation system
- On board inoculant applicators
- Yield and moisture measuring & GPS mapping
- 40 km road speed





• 12 ft and 14 ft Pickup heads

• 8 row cob meal heads

• Direct cut cereal header

• 6 row & 10 row independent cornsilge

heads with Autocontour and Autopilot

















